British Journal of Pharmacology

CONTENTS

VOLUME 78 NUMBER 1 JANUARY 1983

SHORT COMMUNICATIONS

3 GINESI, M. L., MUNDAY, K.A. & NOBLE, A.R. Direct effect of lithium on active and inactive renin secretion

5 TEMPLETON, W.W. & WOODRUFF, G.N. A comparison of some of the properties of the [^{3}H]-sulpiride binding site in soluble and native membrane preparations of dog striatum

8 GOLDSTEIN, D.B., HUNGUND, B.L. & LYON, R.B. Increased surface glycoconjugates of synaptic membranes in mice during chronic ethanol treatment

PAPERS

11 BERTACCINI, G. & ZAPPIA, G. Evidence against the temperature-dependent interconversion of histamine H_1- and H_2-receptors in the guinea-pig ileum

17 MEDGETT, I.C. Modulation of transmission in rat sympathetic ganglia by activation of presynaptic α- and β-adrenoceptors

29 JOHNSTON, K.M., MACLEOD, B.A. & WALKER M.J.A. Effects of aspirin and prostacyclin on arrhythmias resulting from coronary artery ligation and on infarct size

39 FORTES, Z.B., GARCIA LEME, J. & SCIVOLETTO, R. Influence of diabetes on the reactivity of mesenteric microvessels to histamine, bradykinin and acetylcholine

49 CARRATU, M.R., DI GIOVANNI, V. & MITOLO-CHIEPPA, D. Effects of some antiepileptic drugs on the repetitive activity of the node of Ranvier

57 SMITH, J.A. & SPRIGGS, T.L.B. Neostigmine augments responses of the rat anococcygeus muscle to field stimulation

67 ANDERSON, W.H., O'DONNELL, M., SIMKO, B.A. & WELTON, A.F. An *in vivo* model for measuring antigen-induced SRS-A-mediated bronchoconstriction and plasma SRS-A levels in the guinea-pig

75 MARTIN, M.R. & PENIX, L.P. Comparison of the effects of bicuculline and strychnine on brain stem auditory evoked potentials in the cat

79 SCHOLFIELD, C.N. Baclofen blocks postsynaptic inhibition but not the effect of muscimol in the olfactory cortex

85 HOULT, J.R.S. & ROBINSON, C. Selective inhibition of thromboxane B_2 accumulation and metabolism in perfused guinea-pig lung

89 COWEN, P.J., FRASER, S., GRAHAME-SMITH, D.G., GREEN, A.R. & STANFORD, C. The effect of chronic antidepressant administration on β-adrenoceptor function of the rat pineal

97 EL-FAKAHANY, E. & RICHELSON, E. Antagonism by antidepressants of muscarinic acetylcholine receptors of human brain

103 KAMIKAWA, Y. & SHIMO, Y. Indirect action of 5-hydroxytryptamine on the isolated muscularis mucosae of the guinea-pig oesophagus

111 AFFOLTER, H., PEYER, M. & PLETSCHER, A. Storage of biogenic amines in guinea-pig brain synaptosomes: influence of proton gradient and membrane potential

117 COATES, J. & WEETMAN, D.F. Occurrence of α_{1_B}-adrenoceptors in the mouse but not in the rabbit isolated anococcygeus preparations

123 CANFIELD, S.P. & SPENCER, J.E. The inhibitory effects of 5-hydroxytryptamine on gastric acid secretion by the rat isolated stomach

131 PUURUNEN, J. Inhibition of gastric acid secretion by intracerebroventricularly administered prostaglandin E_2 in anaesthetized rats

137 DAVIES, J.A. & WILLIAMS, J. A role for 5-hydroxytryptamine in the GABA-mimetic potentiation of α-flupenthixol-induced catalepsy in the rat

143 BEDWANI, J.R. & BLANNING, P.E. Effects of prostaglandin E_2 on fast and slow components of the response of the rat vas deferens to field stimulation

151 CHARNOCK, J.S., DRYDEN, W.F. & MARSHALL, R.J. Seasonal variations in drug response and staircase phenomena in atrial muscle from a hibernating rodent (*Spermophilus richardsonii*)

159 SANGER, D.J. An analysis of the effects of systemically administered clonidine on the food and water intake of rats

165 MARSHALL, R.J., MUIR, A.W. & WINSLOW, E. Effects of antiarrhythmic drugs on ventricular fibrillation thresholds of normal and ischaemic myocardium in the anaesthetized rat

173 BOUGHTON-SMITH, N.K., & WHITTLE, B.J.R. Stimulation and inhibition of prostacyclin formation in the gastric mucosa and ileum *in vitro* by anti-inflammatory agents

187 KOO, A. *In vivo* characterization of histamine H_1- and H_2-receptors in the rat stomach microcirculation

191 BOWERY, N.G., HILL, D.R. & HUDSON, A.L. Characteristics of $GABA_B$ receptor binding sites on rat whole brain synaptic membranes

207 COLLIS, M.G. Evidence for an A_1-adenosine receptor in the guinea-pig atrium

213 CROSSLEY, A.W.A. & GILLESPIE, J.S. The effect of an inhibitory factor from the bovine retractor penis on the gastro-intestinal tract and gall bladder of the guinea-pig

221 MARSHALL, I. Stimulation-evoked release of [^{3}H]-noradrenaline by 1, 10 or 100 pulses and its modification through presynaptic α_2-adrenoceptors

233 VARMA, D.R. & YUE, T.-L. The influence of maternal protein deficiency on the placental transfer of salicylate in rats

239 CLARK, A.L. & HOBBIGER, F. Twitch potentiation by organophosphate anticholinesterases in rat phrenic nerve diaphragm preparations

247 KALSNER, S. The effects of yohimbine on presynaptic and postsynaptic events during sympathetic nerve activation in cattle iris: a critique of presynaptic receptor theory

VOLUME 78 NUMBER 2 FEBRUARY 1983

SHORT COMMUNICATIONS

257 BIRDSALL, N.J.M., BURGEN, A.S.V., HULME, E.C., STOCKTON, J.M. & ZIGMOND, M.J. The effect of McN-A-343 on muscarinic receptors in the cerabral cortex and heart

260 ALTURA, B.M., ALTURA, B.T. & CARELLA, A. Ethanol produces coronary vasospasm: evidence for a direct action of ethanol on vascular muscle

PAPERS

263 FÖRSTER, W. & PÖNICKE, K. Influence of sympathomimetic drugs (1-phenyl-2-amino-ethan-1-ol derivatives) on the biosynthesis of prostaglandins and thromboxane B_2

271 KERR, D.I.B. & KRANTIS, A. Uptake and stimulus-evoked release of [^{3}H]-γ-aminobutyric acid by myenteric nerves of guinea-pig intestine

277 KIRPEKAR, S.M., PRAT, J.C. & SCHIAVONE, M.T. Modification of potassium-evoked release of noradrenaline by various ions and agents

287 BURKE, S.E., LEFER, A.M., NICOLAOU, K.C., SMITH, G.M. & SMITH, J.B. Responsiveness of platelets and coronary arteries from different species to synthetic thromboxane and prostaglandin endoperoxide analogues

293 CONNOR, E.A. & PARSONS, R.L. Procaine alters fast excitatory postsynaptic current decay in amphibian sympathetic ganglia

301 AVENIER, C., CERRINA, J., DUROUX, P., FLOCH, A., PRADEL, J. & RENIER, A. Sodium cromoglycate, verapamil and nicardipine antagonism to leukotriene D_4 bronchoconstriction

307 CLARK, S.L. & RYALL, R.W. The antinociceptive action of etorphine in the dorsal horn is due to a direct spinal action and not to activation of descending inhibition

321 HULLIHAN, J.P., SPECTOR, S., TANIGUCHI, T. & WANG, J.K.T. The binding of [^{3}H]-diazepam to guinea-pig ileal longitudinal muscle and the *in vitro* inhibition of contraction by benzodiazepines

329 CLARKE, P.B.S. & KUMAR, R. The effects of nicotine on locomotor activity in non-tolerant and tolerant rats

339 DOWNES, H. & TAYLOR, S.M. Distinctive pharmacological profile of a nonadrenergic inhibitory system in bullfrog lung

353 SAWYNOK, J. Theophylline-induced potentiation of the antinociceptive action of baclofen

359 FERRY, N., GOODHARDT, M., HANOUNE, J. & SEVENET, T. Binding of yohimbine stereoisomers to α-adrenoceptors in rat liver and human platelets

365 ILLES, P. & STARKE, K. An electrophysiological study of presynaptic α-adrenoceptors in the vas deferens of the mouse

375 HOF, R.P. Calcium antagonist and the peripheral circulation: differences and similarities between PY 108-068 nicardipine, verapamil and diltiazem

395 PYCOCK, C.J. & SMITH, L.F.P. Interactions of dopamine and the release of [^{3}H]-taurine and [^{3}H]-glycine from the isolated retina of the rat

405 BOLTON, T.B. & KITAMURA, K. Evidence that ionic channels associated with the muscarinic receptor of smooth muscle may admit calcium

417 O'DONNELL, S.R. & WANSTALL, J.C. Relaxation of cat trachea by β-adrenoceptor agonists can be mediated by both β_1- and β_2-adrenoceptors and potentiated by inhibitors of extraneuronal uptake

425 SCOTT, E.M. The effect of atenolol on the spontaneous and reflex activity of the sympathetic nerves in the cat: influence of cardiopulmonary receptors

433 JHAMANDAS, K. & SUTAK, M. Stereospecific enhancement of evoked release of brain acetylcholine by narcotic antagonists

441 FOSTER, P.S., GOLDIE, R.G. & PATERSON, J.W. Effects of steroids on β-adrenoceptor-mediated relaxation of pig bronchus

VOLUME 78 NUMBER 3 MARCH 1983

SHORT COMMUNICATIONS

449 DE MOURA, R.S. & LIMA, J.S. Effect of disopyramide on isolated aortic ring of the rat

452 FENNESSY, M.R., LEWIS, S.J., TAYLOR, D.A. & VERBERNE, A.J.M. Δ^9-Tetrahydrocannabinol reduces brain regional histamine concentrations

PAPERS

455 FAGBEMI, O., KANE, K.A., LEPRÁN, I., PARRATT, J.R., SZEKERES, L. Antiarrhythmic actions of meptazinol, a partial agonist at opiate receptors, in acute myocardial ischaemia

461 OHIZUMI, Y. Contractions induced by grayanotoxin I in the guinea-pig vas deferens

469 GIOTTI, A., LUZZI, S., SPAGNESI S. & ZILLETTI, L. $GABA_A$ and $GABA_B$ receptor-mediated effects in guinea-pig ileum

479 DE JONGE, A., TIMMERMANS, P.B.M.W.M. & VAN ZWIETEN, P.A. Hypotensive and α-adrenergic activities of 2-(2,3,6-trichlorophenylimino) and 2-(2,3-dichloro-6-methylphenylimino) imidazolidine, two potent derivatives of clonidine

489 DOXEY, J.C., ROACH, A.G. & SMITH, C.F.C. Studies on RX781094; a selective, potent and specific antagonist of α_2-adrenoceptors

507 BERRIDGE, T.L., GADIE, B., ROACH, A.G. & TULLOCH, I.F. α_2-Adrenoceptor agonists induce mydriasis in the rat by an action within the central nervous system

517 MAKITA, Y. Effects of prostaglandin I_2 and carbocyclic thromboxane A_2 on smooth muscle cells and neuromuscular transmission in the guinea-pig mesenteric artery

529 RICCIOPPO NETO, F. Effects of the venom of the Brazilian scorpion (*Tityus serrulatus*) on the compound action potential of the rabbit vagus nerve fibres

533 BERMAN, J.S., HILEY, C.R. & WILSON, A.C. Comparison of the effects of the hypolipidaemic agents ICI53072 and clofibrate with those of phenobarbitone on liver size, blood flow and DNA content in the rat

543 AUCH-SCHWELK, W., STARKE, K. & STEPPELER, A. Experimental conditions required for the enhancement by α-adrenoceptor antagonists of noradrenaline release in the rabbit ear artery

553 KENT, A.P. & WEBSTER, R.A. The evaluation of different types of anti-convulsant drug activity against leptazol-induced epileptogenic activity in the anaesthetized rat

561 COKER, S.J., HUGHES, B., PARRATT, J.R., RODGER, I.W. ZEITLIN, I.J. The release of prostanoids during the acute pulmonary response to *E. coli* endotoxin in anaesthetized cats

571 GALZIN, A.-M. & LANGER, S.Z. Presynaptic α_2-adrenoceptor antagonism by verapamil but not by diltiazem in rabbit hypothalamic slices

579 VAN HELDEN, H.P.M., VAN DER WIEL, H.J. & WOLTHUIS, O.L. Therapy of organophosphate poisoning; the marmoset as a model for man

591 SUZUKI, R. Neuronal influence on the mechanical activity of the ciliary muscle

599 CREMA, A., FRIGO, G.M., LECCHINI, S., MANZO, L., ONORI, L. & TONINI, M. Purine receptors in the guinea-pig internal anal sphincter

VOLUME 78 NUMBER 4 APRIL 1983

PAPERS

607 LEANDER, J.D. Opioid agonist and antagonist behavioural effects of buprenorphine

617 BOWMAN, S.P., JONES, C.A., LEAKE, A. & MORRIS, I.D. The biological activity of a single dose of tamoxifen in the adult ovariectomized rat

623 DEVAUX, M.A., DIAZ, G.R., KUBOTA, K., MAGEE, D.F. & SARLES, H. The role of nicotinic receptors in dog pancreatic exocrine secretion

629 KALSNER, S. The effect of magnesium deficiency and excess on bovine coronary artery tone and responses to agonists

639 TAYLOR, S.E. Additional evidence against universal modulation of β-adrenoceptor responses by excessive thyroxine

645 HEDLER, L., STARKE, K. & STEPPELER, A. Release of [^{3}H]-amezinium from cortical noradrenergic axons: a model for the study of the α-autoreceptor hypothesis

655 DOCHERTY, J.R. An investigation of presynaptic α-adrenoceptor sybtypes in the pithed rat heart

659 BRYANT, R.M., OLLEY, J.E. & TYERS, M.B. Antinociceptive actions of morphine and buprenorphine given intrathecally in the conscious rat

665 ANAND, P., BLOOM, S.R. & McGREGOR, G.P. Topical capsaicin pretreatment inhibits axon reflex vasodilatation caused by somatostatin and vasoactive intestinal polypeptide in human skin

671 CHURCH, M.K. & YOUNG, K.D. The characteristics of inhibition of histamine release from human lung fragments by sodium cromoglycate, salbutamol and chlorpromazine

681 GRBOVIĆ, L. & RADMANOVIĆ, B.Z. The influence of substance P on the response of guinea-pig isolated ileum to periarterial nerve stimulation

687 DRAZEN, J.M., FANTA, C.H. & LACOUTURE, P.G. Effect of nifedipine on constriction of human tracheal strips *in vitro*

693 KAMIKAWA, Y. & SHIMO, Y. Pharmacological characterization of the opioid receptor in the submucous plexus of the guinea-pig oesophagus

701 AULT, B. & NADLER, J.V. Anticonvulsant-like actions of baclofen in the rat hippocampal slice

709 KUDO, Y., TANAKA, A. & YAMADA, K. Dendrobine, an antagonist of β-alanine, taurine and of presynaptic inhibition in the frog spinal cord

717 FREYSS-BEGUIN, M., GRIFFATON, G., LECHAT, P., PICKEN, D., QUENNEDEY, M.C., ROUOT, B. & SCHWARTZ, J. Comparison of the chronotropic effect and the cyclic AMP accumulation induced by β_2-agonists in rat heart cell culture

725 ANDEREGG, K., ANZEVENO, P., COOK, J.A., HALUSHKA, P.V., McCARTHY, J., WAGNER, E. & WISE, W.C. Effects of a pyridine derivative thromboxane synthetase inhibitor and its inactive isomer in endotoxic shock in the rat

733 KIMURA, T. & SATOH, S. Inhibition of cardiac sympathetic neurotransmission by histamine in the dog is mediated by H_1-receptors